



BRIGHTON AREA FIRE AUTHORITY

615 W. Grand River, Brighton, MI 48116 Ph: 810-229-6640 Fax: 810-229-1619

EMERGENCY CONTACT FORM

Please email completed form to jcoil@brightonareafire.com.
Submit an updated form whenever the information changes.

BUSINESS NAME		COMPLEX NAME		DATE
BUSINESS ADDRESS		SUITE	CITY	ZIP CODE
CHECK ONE: BRIGHTON CITY BRIGHTON TWP GENOA TWP		BUSINESS PHONE	BUSINESS FAX	BUSINESS WEBSITE
TYPE OF BUSINESS		OWN BLDG. LEASE BLDG.	BUSINESS OCCUPANCY SIZE SQ. FT.	BUILDING SIZE SQ. FT.
PROPERTY/COMPLEX OWNER OR MANAGER NAME		PRIMARY PHONE	EMAIL (INSPECTION REPORTS SENT BY EMAIL)	
BUILDING OWNER'S NAME (IF DIFFERENT THAN ABOVE)		PRIMARY PHONE	EMAIL (INSPECTION REPORTS SENT BY EMAIL)	
BUSINESS HOURS (MONDAY – FRIDAY)		SATURDAY HOURS		SUNDAY HOURS
FIRE ALARM YES NO	FIRE ALARM COMPANY	FIRE ALARM COMPANY PHONE		FIRE ALARM RESET CODE
BURGLARY ALARM SYSTEM YES NO	MONITORING SERVICE	PHONE NUMBER	ALARM PANEL LOCATION	
THE FOLLOWING CONFIDENTIAL EMERGENCY CONTACT INFORMATION IS FOR FIRE DEPARTMENT USE ONLY				
1. EMERGENCY CONTACT'S NAME		TITLE/AFFILIATION		
AFTER HOURS PHONE	DAYTIME PHONE	EMAIL ADDRESS		
2. EMERGENCY CONTACT'S NAME		TITLE/AFFILIATION		
AFTER HOURS PHONE	DAYTIME PHONE	EMAIL ADDRESS		
3. EMERGENCY CONTACT'S NAME		TITLE/AFFILIATION		
AFTER HOURS PHONE	DAYTIME PHONE	EMAIL ADDRESS		
NOTES				
<u>KNOX BOX</u> YES NO LOCATION		<u>KNOX PADLOCK</u> YES NO LOCATION		<u>FIRE DEPARTMENT CONNECTION (FDC) ON SITE:</u> YES NO Indicate the side of your building where the FDC is located using North, South, East, West or a variation.
		<u>FIRE SPRINKLER SYSTEM</u> YES NO		
<u>AUTOMATIC EXTERNAL DEFIBRILLATOR – AED</u> YES HOW MANY? LOCATION OF AED'S		<u>GAS UTILITY</u> (Indicate side of building using North, South, East, West or a variation)		<u>ELECTRIC UTILITY</u> (Indicate side of building using North, South, East, West or a variation)
<u>HYDRANT LOCATION</u> (Indicate side of building using North, South, East, West or a variation)			<u>DISTANCE TO NEAREST HYDRANT</u> (Approximate distance in feet)	